



SHALL®

潇潇公司

POWER TOOLS

HAND TOOLS

PNEUMATIC TOOLS

TOOL SETS

AGRICULTURE TOOLS

WATER PUMPS

GENERATORS

POWER TOOL ACCESSORIES

FASTENERS & HARDWARE

TAPS & DIES

LADDERS

AUTOMOTIVE ACCESSORIES

2023-2024



SHALL TOOLS CO.,LTD

Add: No. 9 Chunchao Road, Xiaoshan Economy & Technology Zone, Hangzhou Zhejiang China

Tel: 0086-571-82651930

Fax: 0086-571-82657190

E-mail: shall@shalltools.com

Website: www.shallgroup.com



ABOUT SHALL

SHALL is founded on 1998. SHALL manufacturing complex locates on Economy & Technology Development Area, total 25,000 square meter.























SHALL products cover full range of tools, such as **Power Tools, Hand Tools, Garden Tools, Pneumatic Tools, Tool Sets, Agriculture Tools, Water Pumps, Generators, Power Tools Accessories, Fasteners, Hardware, Taps & Dies, Ladders & Automotive Accessories.** We have more than 10,000 items.

As a Reliable Chinese company, The SHALL Group offer customers quality products, competitive prices and on-time deliveries. We sell our products world wide.

SHALL have good reputation in the market. SHALL's Excellent Financial Situation strongly support our Input of Marketing, QA, New Products Developing...

SHALL is good. SHALL can be better. SHALL is Improving & Growing.

INDEX


	Electric Drill	1-4		Mitre Saw	35
	Impact Drill	5-11		Cut Off Saw	36
	Light Rotary Hammer	12-13		Jig Saw	37-41
	Rotary Hammer	14-15		Sander	42-44
	Demolition Breaker	16-17		Blower	45-46
	Impact Wrench	18-19		Heat Gun	47
	Angle Grinder	20-25		Hot Melt Glue Gun	48
	Polisher	26		Drywall Sander	49
	Polisher	27		Marble Cutter	50
	Circular Saw	28-31		Cordless Power Tools	51-70
	Planer	32-34		Garden Tool	71-91

No:1030001 Electric Drill 500W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	500W
No Load Speed	3000 r/min
Chuck Capacity	10mm
Certificate	CE




No:1030002 Electric Drill 500W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	500W
No Load Speed	3000 r/min
Chuck Capacity	10mm
Certificate	CE



No:1030011 Electric Drill 320W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	320W
No Load Speed	3700 r/min
Chuck Capacity	10mm




No:1030012 Electric Drill 320W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	320W
No Load Speed	0-750 r/min
Chuck Capacity	10mm
Certificate	CE




No:1030003 Electric Drill 500W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	500W
No Load Speed	3300 r/min
Chuck Capacity	10mm
Certificate	CE




No:1030004 Electric Drill 500W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	500W
No Load Speed	1150 r/min
Chuck Capacity	10mm
Certificate	CE



No:1030013 Electric Drill 300W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	300W
No Load Speed	0-750 r/min
Chuck Capacity	10mm
Certificate	CE




No:1030014 Electric Drill 300W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	300W
No Load Speed	500-1650 r/min
Chuck Capacity	10mm
Certificate	CE




No:1030005 Electric Drill 600W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	600W
No Load Speed	2600 r/min
Chuck Capacity	10mm
Certificate	CE



No:1030010 Electric Drill 750W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	750W
No Load Speed	0-2800 r/min
Chuck Capacity	13mm
Certificate	CE



No:1030015 Electric Drill 280W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	280W
No Load Speed	0-750 r/min
Chuck Capacity	10mm
Certificate	CE



No:1030016 Electric Drill 280W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	280W
No Load Speed	0-750 r/min
Chuck Capacity	10mm
Certificate	CE



No:1030101 23pcs Electric Drill Set



Contains:

- | | |
|-----------------------|--------------------------|
| 1pc Screw box | 3pcs Cement drill bits |
| 1pc Connecting rod | 1pc Ruler |
| 3pcs Twist drill bits | 1pc Handle |
| 1pc Key | 1pc BMC |
| 6pcs Screw bits sets | 1pc Muti-function handle |
| 1pc Machine | 3pcs Wood drill bits |

No:1030102 33pcs Electric Drill Set



Contains:

- | | |
|------------------------|--------------------------|
| 1pc Universal wrench | 3pcs Twist drill bits |
| 1pc Key | 1pc Cutting disc |
| 6pcs Screw bits sets | 1pc Screw link |
| 1pc Machine | 1pc Wheel |
| 3pcs Cement drill bits | 1pc Saw blade |
| 1pc Ruler | 1pc BMC |
| 2pcs Spanner | 3pcs Wood flat drill |
| 1pc Sander paper | 1pc Platen shaft |
| 1pc Wheel guard | 1pc Muti-function handle |
| 1pc Handle | 2pcs Bits long |

No:1030105 40pcs Electric Drill Set



Contains:

- | | |
|-----------------------|----------------------------------|
| 1pc Pliers | 1pc Machine |
| 1pc Spanner | 1pc BMC |
| 8pcs Hex wrench sets | 2pcs Mini crewdriver |
| 1pc Screw box | 1pc Saw |
| 1pc Tapeline | 3pcs Twist drill bits |
| 1pc Ruler | 1pc Pipe wrench |
| 1pc Needle-nose plies | 1pc Handle |
| 1pc Box cutter | 2pcs Wood flat drill |
| 3pcs Cement dill bits | 1pc Electric tape |
| 1pc Hammer | 8pcs Hexagon socket screw sleeve |

No:1030106 45pcs Electric Drill Set



Contains:

- | | |
|----------------------------|----------------------------------|
| 1pc Spanner | 1pc Hammer |
| 1pc Pliers | 1pc Connecting rod |
| 1pc Ruler | 1pc Needle-nose plies |
| 1pc Cross screwdriver | 1pc Straight screwdriver |
| 3pcs Cement dil bits | 1pc Screw box |
| 1pc Tapeline | 3pcs Twist drill bits |
| 3pcs Wood drill bits | 1pc Box cutter |
| 1pc Long cement drill bit | 5pcs Srcrew bits sets |
| 3pcs Ceramic tile drill | 1pc Handle |
| 1pc BMC | 1pc Machine |
| 3pcs Glass tile drill bits | 9pcs Hexagon socket screw sleeve |
| 1pc Key | |

No:1030103 38pcs Electric Drill Set



Contains:

- | | |
|-------------------------|----------------------------------|
| 1pc Pliers | 1pc Spanner |
| 1pc Connecting rod | 1pc Screw box |
| 1pc Sleeve | 3pcs Cement drill bits |
| 1pc Handle | 3pcs Wood drill bits |
| 5pcs Screw bits set | 1pc Machine |
| 1pc BMC | 1pc Ruler |
| 1pc Tapeline | 9pcs Hexagon socket screw sleeve |
| 3pcs Ceramic tile drill | 1pc Key |
| 3pcs Twist drill bits | 1pc Muti-function handle |

No:1030104 39pcs Electric Drill Set



Contains:

- | | |
|------------------------|----------------------------------|
| 1pc Pliers | 1pc Screw link |
| 1pc BMC | 3pcs Long srcrew bits sets |
| 1pc Saw | 1pc Tapeline |
| 1pc Handle | 1pc Muti-function handle |
| 1pc Screw box | 1pc Handle |
| 1pc Ruler | 6pcs Screw bits sets |
| 1pc Hammer | 1pc Connecting rod |
| 3pcs Hex wrench | 1pc Key |
| 3pcs Cement drill bits | 1pc Spanner |
| 1pc Machine | 9pcs Hexagon socket screw sleeve |

No:1030107 43pcs Electric Drill Set



Contains:

- | | |
|--------------------------|-------------------------|
| 1pc Box cutter | 9pcs Screw bits sets |
| 1pc BMC | 1pc Tapeline |
| 1pc Muti-function handle | 1pc Electric tape |
| 8pcs Hex Wrench sets | 1pc Ruler |
| 1pc Handle | 1pc Screw link |
| 3pcs Cement drill bits | 4pcs Small screw driver |
| 1pc Test pencil | 3pcs Twist drill bits |
| 2pcs Wood flat drill | 1pc Screw box |
| 1pc Key | 1pc Connecting rod |
| 1pc Machine | 1pc Saw |

No:1030108 60pcs Electric Drill Set



Contains:

- | | | |
|-----------------|----------------------------|----------------------------------|
| 1pc Tapeline | 1pc Electric tape | 2pcs Spanner |
| 1pc Hammer | 3pcs Cement drill bits | 1pc Pipe wrench |
| 1pc key | 3pcs Twist drill bits | 1pc Connecting rod |
| 1pc Saw | 3pcs Ceramic tile drill | 1pc Screw box |
| 1pc Wheel | 1pc Needle-nose plies | 3pcs Sander paper |
| 1pc BMC | 1pc Cutting disc | 6pcs Screw bits set |
| 1pc Machine | 1pc Polishing wheel | 1pc Ruler |
| 1pc Saw blade | 1pc Output shaft clamp | 1pc Pliers |
| 1pc Test pencil | 1pc Cement dill bits | 1pc Gradienter |
| 4pcs Hole saw | 3pcs Glass tile drill bits | 1pc Box cutter |
| 1pc Handle | 1pc Muti-function handle | 9pcs Hexagon socket screw sleeve |

Impact Drill 850W
Item No:1031006

Metal gear housing
— for long life and rugged job site durability



Variable-speed reversing trigger
— for accurate bit starting

Powerful 850 Watts motor
— for high-torque and high-speed drilling capabilities

No:1031003 Impact Drill 650W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	650W
No Load Speed	0-2800 r/min
Chuck Capacity	13mm
Certificate	CE



No:1031004 Impact Drill 710W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	710W
No Load Speed	0-2800 r/min
Chuck Capacity	13mm
Certificate	CE



No:1031001 Impact Drill 600W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	600W
No Load Speed	0-2800 r/min
Chuck Capacity	13mm
Certificate	CE



No:1031002 Impact Drill 650W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	650W
No Load Speed	0-2800 r/min
Chuck Capacity	13mm
Certificate	CE



No:1031005 Impact Drill 850W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	850W
No Load Speed	0-2800 r/min
Chuck Capacity	13mm
Certificate	CE



No:1031006 Impact Drill 850W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	850W
No Load Speed	0-2800 r/min
Chuck Capacity	13mm
Certificate	CE



No:1031007 Impact Drill 500W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	500W
No Load Speed	0-3100 r/min
Chuck Capacity	13mm
Certificate	CE



No:1031008 Impact Drill 500W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	500W
No Load Speed	0-3800 r/min
Chuck Capacity	13mm
Certificate	CE



No:1031011 Impact Drill 600W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	600W
No Load Speed	3300 r/min
Chuck Capacity	13mm
Certificate	CE



No:1031012 Impact Drill 620W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	620W
No Load Speed	0-2700 r/min
Chuck Capacity	13mm
Certificate	CE



No:1031009 Impact Drill 500W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	500W
No Load Speed	0-2800 r/min
Chuck Capacity	13mm
Certificate	CE



No:1031010 Impact Drill 500W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	500W
No Load Speed	0-3000 r/min
Chuck Capacity	13mm
Certificate	CE / GS



No:1031013 Impact Drill 550W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	550W
No Load Speed	0-3000 r/min
Chuck Capacity	13mm
Certificate	CE / GS



No:1031014 Impact Drill 650W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	650W
No Load Speed	0-3000 r/min
Chuck Capacity	13mm
Certificate	CE



No:1031015 Impact Drill 700W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	700W
No Load Speed	0-3000 r/min
Chuck Capacity	13mm
Certificate	CE



No:1031016 Impact Drill 750W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	750W
No Load Speed	0-2700 r/min
Chuck Capacity	13mm
Certificate	CE



No:1031019 Impact Drill 900W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	900W
No Load Speed	0-3000 r/min
Chuck Capacity	13mm
Certificate	CE



No:1031020 Impact Drill 910W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	910W
No Load Speed	0-3000 r/min
Chuck Capacity	13mm
Certificate	CE



No:1031017 Impact Drill 750W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	750W
No Load Speed	0-3100 r/min
Chuck Capacity	13mm
Certificate	CE



No:1031018 Impact Drill 850W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	850W
No Load Speed	0-2700 r/min
Chuck Capacity	13mm
Certificate	CE



No:1031021 Impact Drill 1050W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	1050W
No Load Speed	0-2800 r/min
Chuck Capacity	13mm
Certificate	CE



No:1031023 Impact Drill 900W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	900W
No Load Speed	700 r/min
Chuck Capacity	13mm
Certificate	CE



No:1031026 Impact Drill 750W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	750W
No Load Speed	1020 r/min
Chuck Capacity	16mm
Certificate	CE



No:1031027 Impact Drill 1200W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	1200W
No Load Speed	1080 r/min
Chuck Capacity	16mm
Certificate	CE



No:1031028 Impact Drill 1400W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	1400W
No Load Speed	750 r/min
Chuck Capacity	16mm
Certificate	CE



Light Rotary Hammer 800W
Item No:1033006

Three modes of operation
– drilling only, hammer drilling and chiseling



Variable-speed reversing trigger
– for accurate bit starting

Upgraded 800 Watts motor
– delivers 2.8J of impact energy

No:1033001 Light Rotary Hammer 500W



Specifications:

Rated Voltage	220-240V
Frequency	50/60Hz
Input Power	500W
No Load Speed	0-1200 r/min
Impact Rate	0-5300 bpm
Chuck Capacity	20mm
Certificate	CE

2 functions



No:1033002 Light Rotary Hammer 620W



Specifications:

Rated Voltage	220-240V
Frequency	50/60Hz
Input Power	620W
No Load Speed	0-1250 r/min
Impact Rate	0-6400 bpm
Chuck Capacity	24mm
Certificate	CE/GS/EMC

3 functions



No:1033003 Light Rotary Hammer 620W



Specifications:

Rated Voltage	220-240V
Frequency	50/60Hz
Input Power	620W
No Load Speed	0-1250 r/min
Impact Rate	0-6400 bpm
Chuck Capacity	24mm
Certificate	CE/GS/EMC 3 functions



No:1033005 Light Rotary Hammer 800W



Specifications:

Rated Voltage	220-240V
Frequency	50/60Hz
Input Power	800W
No Load Speed	0-1000 r/min
Impact Rate	0-5400 bpm
Chuck Capacity	26mm
Certificate	CE/GS/EMC 4 functions 3+ chisel position locking



No:1045001 Rotary Hammer 900W



Specifications:

Rated Voltage	220-240V
Frequency	50/60Hz
Input Power	900W
No Load Speed	0-900 r/min
Impact Rate	0-4400 bpm
Chuck Capacity	26mm
Certificate	CE/GS 3 functions



No:1045002 Rotary Hammer 1500W



Specifications:

Rated Voltage	220-240V
Frequency	50/60Hz
Input Power	1500W
No Load Speed	0-850 r/min
Impact Rate	0-3000 bpm
Chuck Capacity	26mm
Certificate	CE 3 functions



No:1033004 Light Rotary Hammer 800W



Specifications:

Rated Voltage	220-240V
Frequency	50/60Hz
Input Power	800W
No Load Speed	0-1350 r/min
Impact Rate	0-5500 bpm
Chuck Capacity	26mm
Certificate	CE/GS/EMC 3 functions



No:1033006 Light Rotary Hammer 800W



Specifications:

Rated Voltage	220-240V
Frequency	50/60Hz
Input Power	800W
No Load Speed	0-1350 r/min
Impact Rate	0-5500 bpm
Chuck Capacity	26mm
Certificate	CE/GS/EMC 4 functions 3+ chisel position locking



No:1045005 Rotary Hammer 1500W



Specifications:

Rated Voltage	220-240V
Frequency	50/60Hz
Input Power	1500W
No Load Speed	0-850 r/min
Impact Rate	0-3000 bpm
Chuck Capacity	32mm
Certificate	CE 3 functions



No:1045006 Rotary Hammer 1500W



Specifications:

Rated Voltage	220-240V
Frequency	50/60Hz
Input Power	1500W
No Load Speed	260-870 r/min
Impact Rate	1200-4100 bpm
Chuck Capacity	32mm
Certificate	CE/GS



No:1045008 Rotary Hammer 1200W



Specifications:

Rated Voltage	220-240V
Frequency	50/60Hz
Input Power	1200W
No Load Speed	0-400 r/min
Impact Rate	0-5500 bpm
Chuck Capacity	36mm
Certificate	CE




No:1045007 Rotary Hammer 1200W



Specifications:

Rated Voltage	220-240V
Frequency	50/60Hz
Input Power	1200W
No Load Speed	0-1070 r/min
Impact Rate	0-5000 bpm
Chuck Capacity	38mm
Certificate	CE



No:1046011 Demolition Breaker 1300W



Specifications:

Rated Voltage	220-240V
Frequency	50/60Hz
Input Power	1300W
No Load Speed	0-900 r/min
Impact Rate	0-4400 bpm
Certificate	CE



No:1046012 Demolition Breaker 1100W



Specifications:

Rated Voltage	220-240V
Frequency	50/60Hz
Input Power	1100W
No Load Speed	2800 r/min
Impact Rate	0-3000 bpm
Certificate	CE



No:1045009 Rotary Hammer 1500W



Specifications:

Rated Voltage	220-240V
Frequency	50/60Hz
Input Power	1500W
No Load Speed	0-850 r/min
Impact Rate	0-5400 bpm
Chuck Capacity	40mm
Certificate	CE

3 functions



No:1015004 Rotary Hammer 1500W



Specifications:

Rated Voltage	220-240V
Frequency	50/60Hz
Input Power	1500W
No Load Speed	120-240 r/min
Impact Rate	1100-2150 bpm
Chuck Capacity	50mm
Certificate	CE



No:1046013 Demolition Breaker 1100W



Specifications:

Rated Voltage	220-240V
Frequency	50/60Hz
Input Power	1100W
No Load Speed	3000 r/min
Joules	38J
Net Weight	24kg
Certificate	CE



No:1046014 Demolition Breaker 1100W



Specifications:

Rated Voltage	220-240V
Frequency	50/60Hz
Input Power	1100W
No Load Speed	3000 r/min
Joules	38J
Net Weight	24kg
Certificate	CE



No:1046015 Demolition Breaker 1600W



Specifications:

Rated Voltage	220-240V
Frequency	50/60Hz
Input Power	1600W
No Load Speed	1400 r/min
Joules	48J
Net Weight	19kg
Certificate	CE



No:1046016 Demolition Breaker 1500W



Specifications:

Rated Voltage	220-240V
Frequency	50/60Hz
Input Power	1500W
No Load Speed	1800 r/min
Impact Rate	0-5500 bpm
Certificate	CE



No:1046017 Demolition Breaker 1500W



Specifications:

Rated Voltage	220-240V
Frequency	50/60Hz
Input Power	1500W
No Load Speed	1800 r/min
Impact Rate	0-5400 bpm
Certificate	CE



No:1046018 Demolition Breaker 1500W




Specifications:

Rated Voltage	220-240V
Frequency	50/60Hz
Input Power	1500W
No Load Speed	1800 r/min
Impact Rate	0-3000 bpm
Certificate	CE



Impact Wrench 1050W
Item No:1032005



No:1032001 Multi Function Wrench (Screwdriver)



Specifications:

Rated Voltage	220-240V
Frequency	50/60Hz
Input Power	300W
No Load Speed	0-2200 r/min
Maximum Torque	98N.m
Square Head Screw	30/120
Standard Bolt	M6-M12
Certificate	CE



No:1032002 Impact Wrench 300W



Specifications:

Rated Voltage	220-240V
Frequency	50/60Hz
Input Power	300W
No Load Speed	1700 r/min
Maximum Torque	150N.m
Collect Chuck Size	12.7x12.7mm
Suitable Bolt Size	M8-M12
Certificate	CE



No:1032003 Impact Wrench 300W



Specifications:

Rated Voltage	220-240V
Frequency	50/60Hz
Input Power	300W
No Load Speed	1900 r/min
Maximum Torque	250N.m
Collect Chuck Size	12.7x12.7mm
Suitable Bolt Size	M12-M20
Certificate	CE



No:1032004 Impact Wrench 600W



Specifications:

Rated Voltage	220-240V
Frequency	50/60Hz
Input Power	600W
No Load Speed	1900 r/min
Maximum Torque	500N.m
Collect Chuck Size	19x19mm
Suitable Bolt Size	M18-M24
Certificate	CE



No:1032005 Impact Wrench 1050W



Specifications:

Rated Voltage	220-240V
Frequency	50/60Hz
Input Power	1050W
No Load Speed	1400 r/min
Maximum Torque	850N.m
Collect Chuck Size	25.4x25.4mm
Suitable Bolt Size	M22-M30
Certificate	CE



No:1032006 Impact Wrench 1050W



Specifications:

Rated Voltage	220-240V
Frequency	50/60Hz
Input Power	1050W
No Load Speed	1400 r/min
Maximum Torque	1100N.m
Collect Chuck Size	25.4x25.4mm
Suitable Bolt Size	M24-M36
Certificate	CE



Angle Grinder 2600W
Item No:1034022



No:1034001 Angle Grinder 600W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	600W
No Load Speed	11000 r/min
Disc Diameter	115/125mm
Net Weight	1.8kg
Certificate	CE/GS



No:1034002 Angle Grinder 600W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	600W
No Load Speed	0-11000 r/min
Disc Diameter	115/125mm
Net Weight	2.2kg
Certificate	CE/GS



No:1034003 Angle Grinder 620W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	620W
No Load Speed	10000 r/min
Disc Diameter	100/125mm
Net Weight	2.1kg
Certificate	CE



No:1034008 Angle Grinder 700W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	700W
No Load Speed	11000 r/min
Disc Diameter	100mm
Net Weight	2.1kg
Certificate	CE



No:1034006 Angle Grinder 750W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	750W
No Load Speed	11000 r/min
Disc Diameter	100/125mm
Net Weight	1.9kg
Certificate	CE



No:1034007 Angle Grinder 810W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	810W
No Load Speed	11000 r/min
Disc Diameter	115/125mm
Net Weight	2.2kg
Certificate	CE/GS



No:1034004 Angle Grinder 720W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	720W
No Load Speed	11000 r/min
Disc Diameter	100/125mm
Net Weight	1.9kg
Certificate	CE



No:1034005 Angle Grinder 750W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	750W
No Load Speed	12000 r/min
Disc Diameter	115mm
Net Weight	2.3kg
Certificate	CE/GS/EMC/ETL



No:1034009 Angle Grinder 900W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	900W
No Load Speed	11000 r/min
Disc Diameter	100mm
Net Weight	2.1kg
Certificate	CE



No:1034012 Angle Grinder 900W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	900W
No Load Speed	11000 r/min
Disc Diameter	115/125mm
Net Weight	2.5kg
Certificate	CE



No:1034013 Angle Grinder 900W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	900W
No Load Speed	8000 r/min
Disc Diameter	115/125mm
Net Weight	1.8kg
Certificate	CE/GS/EMC



No:1034010 Angle Grinder 1020W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	1020W
No Load Speed	11000 r/min
Disc Diameter	100mm
Net Weight	1.9kg
Certificate	CE



No:1034015 Angle Grinder 1600W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	1600W
No Load Speed	8000 r/min
Disc Diameter	180mm
Net Weight	3.5kg
Certificate	CE



No:1034016 Angle Grinder 2000W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	2000W
No Load Speed	6000 r/min
Disc Diameter	230mm
Net Weight	5.5kg
Certificate	CE/GS



No:1034011 Angle Grinder 1200W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	1200W
No Load Speed	8000 r/min
Disc Diameter	150/180mm
Net Weight	3.4kg
Certificate	CE/GS/EMC



No:1034014 Angle Grinder 1200W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	1200W
No Load Speed	11000 r/min
Disc Diameter	115/125mm
Net Weight	2.5kg
Certificate	CE/GS



No:1034017 Angle Grinder 2200W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	2200W
No Load Speed	6500 r/min
Disc Diameter	230mm
Net Weight	5.5kg
Certificate	CE/GS



No:1034021 Angle Grinder 2350W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	2350W
No Load Speed	8000/6000 r/min
Disc Diameter	180/230mm
Net Weight	6.0kg
Certificate	CE/GS/EMC



No:1034018 Angle Grinder 2400W

Hot!



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	2400W
No Load Speed	6500 r/min
Disc Diameter	230mm
Net Weight	6.0kg
Certificate	CE



No:1034019 Angle Grinder 2400W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	2400W
No Load Speed	6500 r/min
Disc Diameter	230mm
Net Weight	5.5kg
Certificate	CE/GS



No:1035001 Polisher 1200W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	1200W
No Load Speed	600-3000 r/min
Polishing Disc Diameter	180mm
Certificate	CE



No:1035002 Polisher 1200W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	1200W
No Load Speed	600-3000 r/min
Polishing Disc Diameter	180mm
Certificate	CE



No:1034023 Angle Grinder 2500W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	2500W
No Load Speed	8500/6500 r/min
Disc Diameter	180/230mm
Net Weight	6.0kg
Certificate	CE



No:1034022 Angle Grinder 2600W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	2600W
No Load Speed	8400/6600 r/min
Disc Diameter	180/230mm
Net Weight	6.5kg
Certificate	CE/GS/EMC



No:1035003 Polisher 1200W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	1200W
No Load Speed	600-3000 r/min
Polishing Disc Diameter	180mm
Certificate	CE



No:1035004 Polisher 1100W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	1100W
No Load Speed	0-6000 r/min
Polishing Disc Diameter	150mm
Certificate	CE/GS/EMC/ETL



No:1035011 Polisher 110W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	110W
No Load Speed	3200 r/min
Floor Size	240mm
Certificate	CE



No:1035012 Polisher 110W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	110W
No Load Speed	3200 r/min
Floor Size	240mm
Certificate	CE



No:1035013 Polisher 110W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	110W
No Load Speed	3200 r/min
Floor Size	240mm
Certificate	CE



No:1040001 Circular Saw 1300W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	1300W
No Load Speed	4500 r/min
Blade Diameter	160mm
Cutting Depth (90°)	52mm
Certificate	CE



No:1040002 Circular Saw 1100W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	1100W
No Load Speed	4600 r/min
Blade Diameter	160mm
Cutting Depth (90°/45°)	55 / 38mm
Certificate	CE



No:1040011 Circular Saw 1250W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	1250W
No Load Speed	6000 r/min
Blade Diameter	185mm
Cutting Depth (90°)	59mm
Certificate	CE



No:1040012 Circular Saw 1400W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	1400W
No Load Speed	4700 r/min
Blade Diameter	185mm
Cutting Depth (90°/45°)	65 / 44mm
Certificate	CE



No:1040013 Circular Saw 1250W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	1250W
No Load Speed	6000 r/min
Blade Diameter	185mm
Blade Bore	20 / 25.4mm
Cutting Depth (90°/45°)	59 / 38mm
Certificate	CE



No:1040021 Circular Saw 1500W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	1500W
No Load Speed	5300 r/min
Blade Diameter	210mm
Blade Bore	20mm
Cutting Depth (90°/45°)	72 / 62mm
Certificate	CE



No:1040003 Circular Saw 1050W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	1050W
No Load Speed	4600 r/min
Blade Diameter	160mm
N.W/G.W	4/4.25kg
Certificate	CE



No:1040004 Circular Saw 1200W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	1200W
No Load Speed	4700 r/min
Blade Diameter	185mm
Cutting Depth (90°/45°)	65 / 44mm
Certificate	CE/GS



No:1040031 Circular Saw 2100W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	2100W
No Load Speed	4300 r/min
Blade Diameter	235mm
Blade Bore	25.4mm
Cutting Depth (90°/45°)	84 / 65mm
Certificate	CE



No:1040032 Circular Saw 2000W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	2000W
No Load Speed	4400 r/min
Blade Diameter	235mm
Blade Bore	25.4mm
Cutting Depth (90°/45°)	87 / 65mm
Certificate	CE



No:1040005 Circular Saw 1200W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	1200W
No Load Speed	4700 r/min
Blade Diameter	185mm
N.W/G.W	4.5/5kg
Certificate	CE



No:1040006 Circular Saw 1300W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	1300W
No Load Speed	4700 r/min
Blade Diameter	185mm
N.W/G.W	4.7/5kg
Certificate	CE



No:1040007 Circular Saw 1300W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	1300W
No Load Speed	4700 r/min
Blade Diameter	185mm
N.W/G.W	4.7/5kg
Certificate	CE



No:1040008 Circular Saw 1600W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	1600W
No Load Speed	4200 r/min
Blade Diameter	200mm
N.W/G.W	6.5/7.5kg
Certificate	CE



No:1038001 Planer 600W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	600W
No Load Speed	16000 r/min
Planing Capacity	82 x 1mm
Net Weight	2.5kg
Certificate	CE



No:1038002 Planer 600W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	600W
No Load Speed	16300 r/min
Planing Capacity	82 x 1mm
Net Weight	3.5kg
Certificate	CE



No:1040009 Circular Saw 1400W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	1400W
No Load Speed	4700 r/min
Blade Diameter	185mm
Cutting Depth (90°/45°)	65 / 44mm
Certificate	CE/GS



No:1040010 Circular Saw 1400W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	1400W
No Load Speed	4800 r/min
Blade Diameter	185mm
N.W/G.W	4.85/5kg
Certificate	CE/GS/EMC



No:1038003 Planer 800W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	800W
No Load Speed	15000 r/min
Planing Capacity	90 x 2mm
Net Weight	4.5kg
Certificate	CE



No:1038004 Planer 600W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	600W
No Load Speed	16000 r/min
Planing Capacity	82 x 1mm
Net Weight	2.6kg
Certificate	CE



No:1038005 Planer 650W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	650W
No Load Speed	17000 r/min
Planing Capacity	82 x 2mm
Net Weight	3.0kg
Certificate	CE/GS



No:1038006 Planer 900W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	900W
No Load Speed	17000 r/min
Planing Capacity	82 x 3mm
Net Weight	3.1kg
Certificate	CE/GS



No:1038009 Planer 650W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	650W
No Load Speed	16000 r/min
Planing Capacity	82 x 1mm



No:1038010 Planer 650W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	650W
No Load Speed	16000 r/min
Planing Capacity	82 x 1mm



No:1038007 Planer 500W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	500W
No Load Speed	16000 r/min
Planing Capacity	82 x 1mm
Net Weight	3.25kg
Certificate	CE



No:1038008 Planer 650W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	650W
No Load Speed	16000 r/min
Planing Capacity	82 x 2mm
Net Weight	3.25kg
Certificate	CE



No:1038011 Planer 710W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	710W
No Load Speed	16500 r/min
Planing Capacity	82 x 2mm
Net Weight	3.25kg
Certificate	CE/ETL



No:1038012 Planer 900W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	900W
No Load Speed	17000 r/min
Planing Capacity	82 x 3mm
Net Weight	3.5kg
Certificate	CE/ETL



Mitre Saw 1400W
Item No:1036001

Powerful 1400W motor
— delivers 4,600 no-load RPM
for professional cutting capacity



Ergonomic ambidextrous trigger handle with soft grip
— provides comfort for all-day use and a large
form-fitting ergonomic handle

Axial-Glide System
— offers more durable precision than side saw rail systems

Specifications:

Rated Voltage	220-240V
Frequency	50/60Hz
Input Power	1400W
No Load Speed	4600 r/min
Blade Size	255mm
Blade Bore	25.4mm
Table Turning Range	Left 45° - Right 45°
Max. Cutting Capacity	90° 64x140mm(H*W) 45° 64X99mm(H*W)
Net Weight	10.5kg
Certificate	CE



Cut Off Saw 3200W
Item No:1037001

Powerful Motor, 3200W, Superior motor insulation
— extra motor over-load protection during tough applications



Spindle lock
— for quick wheel changes

Adjustable fence
— adjusts for bevel cuts ranging from 0-45°

Specifications:

Rated Voltage	220-240V
Frequency	50/60Hz
Motor	3200W
No Load Speed	3800 r/min
Blade Size	355mm
Net Weight	16kg
Certificate	CE



No:1036002

Mitre Saw 1400W



Specifications:

Rated Voltage	220-240V
Frequency	50/60Hz
Input Power	1400W
No Load Speed	4600 r/min
Blade Size	255mm
Blade Bore	25.4mm
Table Turning Range	Left 45° - Right 45°
Max. Cutting Capacity	90° 65x130mm(H*W) 45° 68X90mm(H*W)
Net Weight	10.3kg
Certificate	CE



No:1036003

Mitre Saw 1400W



Specifications:

Rated Voltage	220-240V
Frequency	50/60Hz
Input Power	1400W
No Load Speed	4600 r/min
Blade Size	255mm
Blade Bore	25.4mm
Table Turning Range	Left 45° - Right 45°
Max. Cutting Capacity	90° 65x130mm(H*W) 45° 68X90mm(H*W)
Net Weight	11.3kg
Certificate	CE



No:1037002

Cut Off Saw 1900W



Specifications:

Rated Voltage	220-240V
Frequency	50/60Hz
Motor	1900W
No Load Speed	3800 r/min
Blade Size	355mm
Net Weight	12.6kg
Certificate	CE



No:1037003

Cut Off Saw 2800W



Specifications:

Rated Voltage	220-240V
Frequency	50/60Hz
Motor	2800W
No Load Speed	3800 r/min
Blade Size	355mm
Net Weight	16kg
Certificate	CE



No:1039001 Jig Saw 600W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	600W
No Load Speed	500-3000 r/min
Cutting Ability	60mm
Certificate	CE



No:1039002 Jig Saw 520W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	520W
No Load Speed	0-2600 r/min
Cutting Ability	55mm
Certificate	CE



No:1039005 Jig Saw 600W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	600W
No Load Speed	500-3000 r/min
Cutting Ability	60mm
Certificate	CE



No:1039006 Jig Saw 600W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	600W
No Load Speed	500-3000 r/min
Cutting Ability	65mm
Certificate	CE



No:1039003 Jig Saw 520W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	520W
No Load Speed	0-2600 r/min
Cutting Ability	55mm
Certificate	CE



No:1039004 Jig Saw 600W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	600W
No Load Speed	500-3000 r/min
Cutting Ability	60mm
Certificate	CE



No:1039007 Jig Saw 850W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	850W
No Load Speed	0-2600 r/min
Cutting Ability	85mm
Certificate	CE



No:1039008 Jig Saw 350W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	350W
No Load Speed	3000 r/min
Cutting Ability	55mm
Certificate	CE



No:1039009 Jig Saw 400W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	400W
No Load Speed	0-3000 r/min
Cutting Ability	55mm
Certificate	CE/GS/EMC/ETL



No:1039010 Jig Saw 450W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	450W
No Load Speed	0-3000 r/min
Cutting Ability	55mm
Certificate	CE/GS



No:1039013 Jig Saw 450W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	450W
No Load Speed	3000 r/min
Cutting Ability	55mm
Certificate	CE/GS



No:1039014 Jig Saw 800W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	800W
No Load Speed	0-3000 r/min
Cutting Ability	100mm
Certificate	CE/GS/EMC/ETL



No:1039011 Jig Saw 500W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	500W
No Load Speed	0-3000 r/min
Cutting Ability	55mm
Certificate	CE/GS



No:1039012 Jig Saw 500W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	500W
No Load Speed	3000 r/min
Cutting Ability	85mm
Certificate	CE/GS



No:1039015 Jig Saw 850W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	850W
No Load Speed	3000 r/min
Cutting Ability	85mm
Certificate	CE



No:1039201 Multi-tool 300W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	300W
No Load Speed	11000-21000 r/min
Pin Diameter	22 mm
Certificate	CE



No:1039301 Reciprocating Saw 850W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	850W
No Load Speed	0-2800 r/min
Max Cutting Depth	28mm
Certificate	CE/GS/EMC/ETL



No:1039302 Reciprocating Saw 800W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	800W
No Load Speed	0-2500 r/min
Max Cutting Depth	22mm
Certificate	CE/GS/ETL



No:1041002 Trimmer 600W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	600W
No Load Speed	30000 r/min
Chuck Diameter	6mm
Certificate	CE




No:1043001 Electric Shears 500W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	500W
No Load Speed	0-2500 r/min
Throat Depth	1/2 inch
Thickness Capacity	14 gauge (2.0mm)
Cord Length	6'
Certificate	CE




No:1043002 Electric Shears 420W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	420W
No Load Speed	0-3550 r/min
Throat Depth	1/2 inch
Thickness Capacity	14 gauge (2.0mm)
Cord Length	6'
Certificate	CE



No:1051001 Random Orbit Sander 180W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	180W
No Load Speed	14000 r/min
Floor Size	125mm
Certificate	CE



No:1051002 Random Orbit Sander 240W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	240W
No Load Speed	12000 r/min
Floor Size	125mm
Certificate	CE



No:1051003 Random Orbit Sander 300W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	300W
No Load Speed	6000-13000 r/min
Floor Size	125mm
Certificate	CE



No:1051004 Random Orbit Sander 450W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	450W
No Load Speed	6000-13000 r/min
Floor Size	125/150mm
Certificate	CE



No:1051005 Random Orbit Sander 350W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	350W
No Load Speed	6000-13000 r/min
Floor Size	125mm
Certificate	CE



No:1051006 Random Orbit Sander 240W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	240W
No Load Speed	11000 r/min
Floor Size	125mm
Certificate	CE



No:1051011 Detail Sander 105W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	105W
No Load Speed	12000 r/min
Floor Size	140x80mm
Certificate	CE




No:1051012 Detail Sander 110W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	110W
No Load Speed	12000 r/min
Floor Size	140x80mm
Certificate	CE



No:1051022 Orbital Sander 200W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	200W
No Load Speed	14000 r/min
Floor Size	110x100mm
Certificate	CE



No:1051023 Orbital Sander 150W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	150W
No Load Speed	14000 r/min
Floor Size	187x90mm
Certificate	CE



No:1051013 Detail Sander 300W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	300W
No Load Speed	6000-13000 r/min
Floor Size	140x80mm
Certificate	CE



No:1051014 Detail Sander 130W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	130W
No Load Speed	14000 r/min
Floor Size	140x80mm
Certificate	CE



No:1051024 Orbital Sander 220W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	220W
No Load Speed	14000 r/min
Floor Size	187x90mm
Certificate	CE



No:1051025 Orbital Sander 380W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	380W
No Load Speed	12000 r/min
Floor Size	115x230mm
Certificate	CE/GS/EMC



No:1051015 Detail Sander 220W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	220W
No Load Speed	13000 r/min
Floor Size	140x80mm
Certificate	CE/GS/EMC



No:1051021 Orbital Sander 240W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	240W
No Load Speed	14000 r/min
Floor Size	110x100mm
Certificate	CE



No:1051031 Belt Sander 900W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	900W
No Load Speed	9000 r/min
Floor Size	76x533mm
Certificate	CE/GS/EMC



No:1051035 Drum Sander 1350W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	1350W
No Load Speed	0-3000 r/min
Floor Size	120x100mm
Certificate	CE/GS/EMC



No:1047001

Blower 450W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	450W
No Load Speed	13000 r/min
Air Circulation Rate	2.8m³/min
Certificate	CE



No:1047003

Blower 600W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	600W
No Load Speed	0-13000 r/min
Air Circulation Rate	3.5m³/min
Certificate	CE



No:1047005

Blower 680W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	680W
No Load Speed	0-13000 r/min
Air Circulation Rate	3.5m³/min
Certificate	CE



No:1047002

Blower 450W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	450W
No Load Speed	13000 r/min
Air Circulation Rate	2.8m³/min
Certificate	CE



No:1047004

Blower 600W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	600W
No Load Speed	0-13000 r/min
Air Circulation Rate	3.5m³/min
Certificate	CE



No:1047006

Blower 350W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	350W
No Load Speed	12000 r/min
Air Circulation Rate	2.3m³/min
Certificate	CE



No:1047008

Blower 650W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	650W
No Load Speed	0-15000 r/min
Air Circulation Rate	3.2m³/min
Certificate	CE



No:1047007

Blower 500W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	500W
No Load Speed	13500 r/min
Air Circulation Rate	2.8m³/min
Certificate	CE



No:1047009

Blower 800W

Hot!



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	800W
No Load Speed	0-16000 r/min
Air Circulation Rate	4.5m³/min
Certificate	CE



No:1048001 Heat Gun 2000W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	2000W
Temperature	350/550 °C
Airflow	300/500L/min
Certificate	CE/GS Over Heat Protection



No:1048004 Heat Gun 2000W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	2000W
Temperature	350/550 °C
Airflow	300/500L/min
Certificate	CE/GS Over Heat Protection



No:1048006 Heat Gun 2000W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	2000W
Temperature	350/550 °C
Airflow	300/500L/min
Certificate	CE/FCC/RoHS Over Heat Protection




No:1048003 Heat Gun 2000W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	2000W
Temperature	350/550 °C
Airflow	300/500L/min
Certificate	CE/GS Over Heat Protection



No:1048005 Heat Gun 2000W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	2000W
Temperature	350/550 °C
Airflow	300/500L/min
Certificate	CE/GS Over Heat Protection



No:1048007 Heat Gun 2000W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	2000W
Temperature	400/650 °C
Airflow	300/500L/min
Certificate	CE/FCC/RoHS Over Heat Protection



No:1044001 Hot Melt Glue Gun 500W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	150-500W
Glue Stick Size	11 mm
Certificate	CE/GS/ROHS/UL



No:1044002 Hot Melt Glue Gun 150W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	40-150W
Glue Stick Size	11 mm
Certificate	CE/GS/ROHS/UL



No:1044201 Electric Iron 30W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	30-100W
Certificate	CE



No:1044202 Electric Iron 30W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	30-100W
Certificate	CE



No:1050001 Drywall Sander 720W



Specifications:

Rated Voltage	220-240V
Frequency	50/60Hz
Input Power	720W
No Load Speed	1100-2130 r/min
Sanding Plate Diameter	180mm
Adaptor Size	M10
Certificate	CE



No:1050003 Drywall Sander 850W



Specifications:

Rated Voltage	220-240V
Frequency	50/60Hz
Input Power	850W
No Load Speed	1100-2130 r/min
Sanding Plate Diameter	180mm
Adaptor Size	M10
Certificate	CE



No:1050005 Drywall Sander 720W



Specifications:

Rated Voltage	220-240V
Frequency	50/60Hz
Input Power	720W
No Load Speed	1100-2130 r/min
Sanding Plate Diameter	230mm
Adaptor Size	M6
Certificate	CE



No:1050002 Drywall Sander 850W




Specifications:

Rated Voltage	220-240V
Frequency	50/60Hz
Input Power	850W
No Load Speed	1100-2130 r/min
Sanding Plate Diameter	180mm
Adaptor Size	M10
Certificate	CE



No:1050004 Drywall Sander 720W



Specifications:

Rated Voltage	220-240V
Frequency	50/60Hz
Input Power	720W
No Load Speed	1100-2130 r/min
Sanding Plate Diameter	230mm
Adaptor Size	M6
Certificate	CE



No:1049001 Mixer 900W



Specifications:

Rated Voltage	220-240V
Frequency	50/60Hz
Input Power	900W
No Load Speed	1000 r/min
Mix Diameter	100mm
Certificate	CE



No:1042001 Marble Cutter 1200W



Specifications:

Rated Voltage	220-240V
Frequency	50/60Hz
Input Power	1200W
No Load Speed	12000r/min
Cutting Depth	32mm
Blade Diameter	110mm
Blade Bore	20mm
Certificate	CE



No:1042003 Marble Cutter 1250W



Specifications:

Rated Voltage	220-240V
Frequency	50/60Hz
Input Power	1250W
No Load Speed	12500r/min
Cutting Depth	32mm
Blade Diameter	110mm
Blade Bore	20mm
Certificate	CE



No:1042002 Marble Cutter 1300W



Specifications:

Rated Voltage	220-240V
Frequency	50/60Hz
Input Power	1300W
No Load Speed	12000r/min
Cutting Depth	32mm
Blade Diameter	110mm
Blade Bore	20mm
Certificate	CE



Lithium Cordless Screwdriver
Item No.1024110 3.6V Lithium



Item No.	Rated Voltage	Battery	No Load Speed	Output Torque(Max)	Charge Time	Certificate	Qty./Ctn. (pcs)	G.W./N.W. (kg)	Packing Size(cm)	Qty./20" Container(pcs)
1024110-1	3.6V	1300mAh	180RPM	3.7Nm	3-5H	GS/CE/Rohs/UL	20	15/13	40x36x30	12740
1024110-2	3.6V	1300mAh	180RPM	3.7Nm	3-5H	GS/CE/Rohs/UL	20	15/13	36x32x38	12580
1024110-3	3.6V	1300mAh	180RPM	3.7Nm	3-5H	GS/CE/Rohs/UL	20	15/13	48x38x29	10400
1024110-4	3.6V	1300mAh	180RPM	3.7Nm	3-5H	GS/CE/Rohs/UL	10	19/17	36x23x50	6650
1024110-5	3.6V	1300mAh	180RPM	3.7Nm	3-5H	GS/CE/Rohs/UL	20	15/13	52x30x27	13060
1024110-6	3.6V	1300mAh	180RPM	3.7Nm	3-5H	GS/CE/Rohs/UL	10	8/6	40x33x23	9060
1024110-7	3.6V	1300mAh	180RPM	3.7Nm	3-5H	GS/CE/Rohs/UL	12	9/7	50x39.5x18	9288
1024110-8	3.6V	1300mAh	180RPM	3.7Nm	3-5H	GS/CE/Rohs/UL	12	14/12	55x46x32	4080
1024110-9	3.6V	1300mAh	180RPM	3.7Nm	3-5H	GS/CE/Rohs/UL	10	12/10	59x43x20	5420
1024110-10	3.6V	1300mAh	180RPM	3.7Nm	3-5H	GS/CE/Rohs/UL	20	20/19	39x39x28	12900
1024110-11	3.6V	1300mAh	180RPM	3.7Nm	3-5H	GS/CE/Rohs/UL	10	13/11	34x34x40	5950
1024110-12	3.6V	1300mAh	180RPM	3.7Nm	3-5H	GS/CE/Rohs/UL	10	14/12	34x34x40	5950
1024110-13	3.6V	1300mAh	180RPM	3.7Nm	3-5H	GS/CE/Rohs/UL	10	15/13	34x34x40	5950

Lithium Cordless Screwdriver
Item No.1024103 3.6V Lithium



Charging base doubles as accessories holder



Item No.	Rated Voltage	Battery	No Load Speed	Output Torque(Max)	Charge Time	Certificate	Qty./Ctn. (pcs)	G.W./N.W. (kg)	Packing Size(cm)	Qty./20" Container(pcs)
1024103-2	3.6V	1000mAh	180RPM	3.2Nm	3-5H	GS/CE/Rohs/UL	20	16/14	50x38x27	10700
1024103-15	3.6V	1000mAh	180RPM	3.2Nm	3-5H	GS/CE/Rohs/UL	10	14/12	59x43x20	5420

Lithium Cordless Screwdriver

Item No.1024101 3.6V Lithium



Item No.	Rated Voltage	Battery	No Load Speed	Output Torque(Max)	Charge Time	Certificate	Qty./Ctn. (pcs)	G.W./N.W. (kg)	Packing Size(cm)	Qty./20" Container(pcs)
1024101-2	3.6V	1000mAh	180RPM	3.2Nm	3-5H	GS/CE/Rohs/UL	20	14/12	36x32x38	12580
1024101-3	3.6V	1000mAh	180RPM	3.2Nm	3-5H	GS/CE/Rohs/UL	20	14/12	48x38x29	10400
1024101-4	3.6V	1000mAh	180RPM	3.2Nm	3-5H	GS/CE/Rohs/UL	10	19/17	36x23x50	6650
1024101-5	3.6V	1000mAh	180RPM	3.2Nm	3-5H	GS/CE/Rohs/UL	20	14/12	52x30x27	13060
1024101-6	3.6V	1000mAh	180RPM	3.2Nm	3-5H	GS/CE/Rohs/UL	10	7.5/5.5	40x33x23	9060
1024101-9	3.6V	1000mAh	180RPM	3.2Nm	3-5H	GS/CE/Rohs/UL	10	11.5/9.5	59x43x20	5420
1024101-10	3.6V	1000mAh	180RPM	3.2Nm	3-5H	GS/CE/Rohs/UL	10	11.5/9.5	38x20x28	12920

No:1084001 Cordless Screwdriver 90N.m



Specifications:

Voltage	12V
No Load Speed	0-2000 r/min
Impact Times	0-1500IPM
Battery	2PCS 1.5A
Square Drive	6.35mm
Max Torque	90N.m
Certificate	CE
Two Speed	



No:1084004 Cordless Screwdriver 120N.m



Specifications:

Voltage	12V
No Load Speed	0-2700 r/min
Square Drive	6.35mm
Max Torque	120N.m
Impact Frequency	0-3800bpm
Certificate	CE/GS/ROHS



No:1084002 Cordless Screwdriver 160N.m



Specifications:

Voltage	21V
No Load Speed	0-2400 r/min
Impact Times	0-2800IPM
Battery	2PCS 3.0A
Square Drive	6.35mm
Max Torque	160N.m
Certificate	CE



No:1084003 Cordless Screwdriver 200N.m



Specifications:

Voltage	21V
No Load Speed	0-1200/2400 r/min
Impact Times	0-1400/2800IPM
Battery	2PCS 3.0A
Square Drive	6.35mm
Max Torque	200N.m
Certificate	CE
Brushless Motor	



No:1080001 Cordless Drill 1500mAh



Specifications:

Voltage	12V
No Load Speed	0-400/0-1400 r/min
Battery	2PCS 1.5A
Holding Ability	1-10mm
Max Torque	30N.m
Certificate	CE
	Two Speed



No:1080002 Cordless Drill 1500mAh



Specifications:

Voltage	12V
No Load Speed	0-400/0-1400 r/min
Battery	2PCS 1.5A
Holding Ability	1-10mm
Max Torque	30N.m
Certificate	CE
	Two Speed



No:1080005 Cordless Drill 1500mAh



Specifications:

Voltage	21V
No Load Speed	0-400/0-1400 r/min
Battery	2PCS 1.5A
Holding Ability	1-10mm
Max Torque	35N.m
Certificate	CE
	Two Speed



No:1080006 Cordless Drill 1500mAh



Specifications:

Voltage	16V
No Load Speed	0-400/0-1400 r/min
Battery	2PCS 1.5A
Holding Ability	1-10mm
Max Torque	35N.m
Certificate	CE
	Two Speed



No:1080003 Cordless Drill 1500mAh



Specifications:

Voltage	12V
No Load Speed	0-350/0-1350 r/min
Battery	2PCS 1.5A
Holding Ability	1-10mm
Max Torque	22N.m
Certificate	CE
	Two Speed



No:1080004 Cordless Drill 1500mAh



Specifications:

Voltage	16V
No Load Speed	0-400/0-1400 r/min
Battery	2PCS 1.5A
Holding Ability	1-10mm
Max Torque	35N.m
Certificate	CE
	Two Speed



No:1080007 Cordless Drill 1500mAh



Specifications:

Voltage	21V
No Load Speed	0-400/0-1400 r/min
Battery	2PCS 1.5A
Holding Ability	1-10mm
Max Torque	40N.m
Certificate	CE
	Two Speed



No:1080008 Cordless Drill 1500mAh



Specifications:

Voltage	16V
No Load Speed	0-350/0-1350 r/min
Battery	2PCS 1.5A
Holding Ability	1-10mm
Max Torque	26N.m
Certificate	CE
	Two Speed



No:1080009 Cordless Drill 1500mAh



Specifications:

Voltage	21V
No Load Speed	0-350/0-1350 r/min
Battery	2PCS 1.5A
Holding Ability	1-10mm
Max Torque	28N.m
Certificate	CE
	Two Speed



No:1080010 Cordless Drill 1300mAh



Specifications:

Voltage	10.8V
No Load Speed	0-350/0-1350 r/min
Torque Settings	18+1
Holding Ability	1-10mm
Max Torque	25N.m
Certificate	CE/BMC
	Two Speed



No:1080013 Cordless Drill 1300mAh



Specifications:

Voltage	10.8V
No Load Speed	0-350/0-1350 r/min
Torque Settings	18+1
Holding Ability	1-10mm
Max Torque	25N.m
Certificate	CE
	Two Speed



No:1080014 Cordless Drill 1300mAh



Specifications:

Voltage	18V
No Load Speed	0-350/0-1350 r/min
Torque Settings	18+1
Holding Ability	1-10mm
Max Torque	29N.m
Certificate	CE/BMC
	Two Speed



No:1080011 Cordless Drill 1300mAh



Specifications:

Voltage	10.8V
No Load Speed	0-350/0-1350 r/min
Torque Settings	18+1
Holding Ability	1-10mm
Max Torque	25N.m
Certificate	CE/BMC
	Two Speed




No:1080012 Cordless Drill 1300mAh



Specifications:

Voltage	10.8V
No Load Speed	0-350/0-1350 r/min
Torque Settings	18+1
Holding Ability	1-10mm
Max Torque	25N.m
Certificate	CE/BMC
	Two Speed



No:1080015 Cordless Drill 1300mAh



Specifications:

Voltage	18V
No Load Speed	0-350/0-1350 r/min
Torque Settings	18+1
Holding Ability	1-10mm
Max Torque	29N.m
Certificate	CE/BMC
	Two Speed



No:1080016 Cordless Drill 2000mAh



Specifications:

Voltage	18V
No Load Speed	0-450/0-1600 r/min
Torque Settings	22+1
Holding Ability	1-13mm
Max Torque	55N.m
Certificate	CE
	Two Speed



No:1080017 Cordless Drill 2000mAh



Specifications:

Voltage	20V
No Load Speed	0-450/0-1500 r/min
Torque Settings	20+1+1+1
Hex. Collet	6.35mm (1/4")
Max Torque	25/50N.m
Capacities	Steel: 10mm Wood: 21mm Wood Screw: 5.1×63mm Machine Screw: M6
Certificate	CE



No:1080018 Cordless Drill 2000mAh



Specifications:

Voltage	20V
No Load Speed	0-450/0-1500 r/min
Torque Settings	18+1
Chuck Size	10mm
Max Torque	18/27N.m
Capacities	Steel: 10mm Wood: 25mm Wood Screw: 5.1×63mm Machine Screw: M6
Certificate	CE



No:1080021 Cordless Drill 1500mAh



Specifications:

Voltage	18V
No Load Speed	0-400/0-1500 r/min
Torque Settings	21+1
Holding Ability	1-10mm
Max Torque	28N.m
Certificate	CE
	Two Speed



No:1080022 Cordless Drill 1500mAh



Specifications:

Battery	1500mAh
No Load Speed	0-400/0-1500 r/min
Torque Settings	21+1
Holding Ability	1-10mm
Max Torque	32N.m
Certificate	CE
	Two Speed



No:1080019 Cordless Drill 1500mAh



Specifications:

Battery	1500mAh
No Load Speed	0-350/0-1250 r/min
Torque Settings	21+1
Holding Ability	1-10mm
Max Torque	30N.m
Certificate	CE
	Two Speed



No:1080020 Cordless Drill 1500mAh



Specifications:

Battery	1500mAh
No Load Speed	0-350/0-1250 r/min
Torque Settings	21+1
Holding Ability	1-10mm
Max Torque	30N.m
Certificate	CE
	Two Speed



No:1080023 Cordless Drill 2000mAh



Specifications:

Voltage	20V
No Load Speed	0-450/0-1500 r/min
Impact Rate	0-5500/0-21000 r/min
Torque Settings	20+1+1+1
Max Torque	25/50N.m
Capacities	Steel: 13mm Wood: 38mm Masonry: 13mm
Certificate	CE



No:1080024 Cordless Drill 2000mAh



Specifications:

Voltage	12V
No Load Speed	0-430/0-1500 r/min
Impact Rate	0-5500/0-21000 r/min
Torque Settings	20+1+1+1
Max Torque	35/45N.m
Capacities	Steel: 13mm Wood: 38mm Masonry: 13mm
Certificate	CE



No:1080025 Cordless Drill 1500mAh



Specifications:

Voltage	21V
No Load Speed	0-350/0-1350 r/min
Battery	2PCS 1.5A
Holding Ability	1-10mm
Max Torque	30N.m
Certificate	CE
	Two Speed



No:1083001 Cordless Impact Wrench 3000mAh



Specifications:

Voltage	21V
No Load Speed	0-2400 r/min
Impact Times	0-2800 IPM
Battery	2PCS 3.0A
Square Drive	12.7mm(1/2")
Max Torque	250N.m
Certificate	CE



No:1083004 Cordless Impact Wrench 4000mAh



Specifications:

Voltage	20V
No Load Speed	0-1700/0-2100/0-2500 r/min
Impact Times	0-2700 IPM
Battery	4.0A
Square Drive	12.7mm(1/2")
Max Torque	350N.m
Certificate	CE/GS/EMC



No:1083005 Cordless Impact Wrench 2000mAh



Specifications:

Voltage	20V
No Load Speed	0-2400 r/min
Impact Times	0-2700 IPM
Battery	2.0A
Hex. Collet	6.35mm(1/4")
Max Torque	90/150N.m
Certificate	CE/BMC



No:1083002 Cordless Impact Wrench 3000mAh



Specifications:

Voltage	21V
No Load Speed	0-1200/2400 r/min
Impact Times	0-1400/2800 IPM
Battery	2PCS 3.0A
Square Drive	12.7mm(1/2")
Max Torque	250N.m
Certificate	CE
	Brushless Motor



No:1083003 Cordless Impact Wrench 2000mAh



Specifications:

Voltage	20V
No Load Speed	0-1700/0-2100/0-2500 r/min
Impact Times	0-2700 IPM
Battery	2.0A
Square Drive	12.7mm(1/2")
Max Torque	150/180/280N.m
Certificate	CE/BMC



No:1083006 Cordless Impact Wrench 4000mAh



Specifications:

Voltage	20V
No Load Speed	0-660/0-1250/0-1550 r/min
Impact Times	0-1050/0-1500/0-2100 IPM
Battery	2PCS 3.0A
Square Drive	12.7mm(1/2") / 19mm(3/4")
Max Torque	130/400/1356N.m
Capacities	M10-M33
Certificate	CE/BMC



No:1083007 Cordless Impact Wrench



Specifications:

Voltage	20V
No Load Speed	0-2300 r/min
Impact Times	0-3600 IPM
Max Torque	500N.m
Certificate	CE/GS/ROHS



No:1088001

Cordless Rotary Hammer 3000mAh



Specifications:

Voltage	21V
No Load Speed	0-950 r/min
Impact Times	0-4700 IPM
Battery	2PCS 3.0A
Drill Ability	26mm
Impact Energy	2.8J
Certificate	CE
	Brushless Motor



No:1088002

Cordless Rotary Hammer 4000mAh



Specifications:

Voltage	20V
No Load Speed	0-1200 r/min
Impact Times	0-5300 IPM
Battery	4.0A
Drill Ability	Concrete: 26mm Steel: 13mm Wood: 30mm
Certificate	CE/BMC



No:1086001

Cordless Angle Grinder 3000mAh



Specifications:

Voltage	21V
No Load Speed	0-7500 r/min
Battery	2PCS 3.0A
Disc Diameter	100mm
Spindle Thread	M10/M14
Certificate	CE
	Brushless Motor



No:1086002

Cordless Angle Grinder 3000mAh



Specifications:

Voltage	18V
No Load Speed	4500/5500/7500 r/min
Battery	3.0A
Disc Diameter	100/115/125mm
Spindle Thread	M10/M14
Certificate	CE



No:1088003

Cordless Rotary Hammer



Specifications:

Voltage	12V
No Load Speed	0-1100 r/min
Impact Times	0-6000 IPM
Drill Ability	Concrete: 10mm Steel: 8mm Wood: 20mm
Certificate	CE/GS



No:1091001

Auger 4000mAh



Specifications:

Voltage	18V
Auger Diameter Max	150mm
Running Times	up to 30 Holes @ 400mm depth
Battery	4.0A
Auger Bits	80/100/150mm
Certificate	CE/GS/EMC
	Brushless Motor



No:1086003

Cordless Angle Grinder 3000mAh



Specifications:

Voltage	18V
No Load Speed	7500 r/min
Battery	3.0A
Disc Diameter	115mm
Spindle Thread	M10/M14
Certificate	CE/GS/EMC



No:1086004

Cordless Angle Grinder 3000mAh



Specifications:

Voltage	20V
No Load Speed	2500 - 10000 r/min
Battery	3.0A
Disc Diameter	115/125mm
Spindle Thread	M14
Certificate	CE/GS/ROHS



No:1090001 Cordless Nailer 2000mAh



Specifications:

Voltage	21V
Shot Per Minute	60 Nails Max
Battery	2PCS 2.0A
Max Magazine	100 Nails
Nail Shape	F50 / K440
Certificate	CE



No:1090002 Cordless Nailer



Specifications:

Voltage	21V
Shot Per Minute	No less than 100 times
Max Magazine	100 Nails
Nail Shape	F50
Certificate	CE



No:1090005 Cordless Nailer 1500mAh



Specifications:

Voltage	3.6V
Shot Per Minute	30 Nails Max
Battery	1.5A
Max Magazine	100 Nails
Nail Shape	TYPE C Width: 10mm
Certificate	CE



No:1087001 Cordless Blower 1500mAh



Specifications:

Voltage	16V
No Load Speed	0-4000/12000/18000r/min
Battery	2PCS 1.5A
Max Air Speed	200Kmh
Max Air Volume	80CFM
Certificate	CE



No:1090003 Cordless Nailer 1500mAh



Specifications:

Voltage	4V
Shot Per Minute	30 Nails Max
Battery	1.5A
Max Magazine	50pcs ARROW T50 staple 100pcs Bosch 53# staple 50pcs T-brad
Nail Shape	T50 / 53# / T-brad
Certificate	CE



No:1090004 Cordless Nailer



Specifications:

Voltage	20V
Shot Per Minute	30 Nails Max
Battery	1.5A
Max Magazine	50 Nails
Nail Shape	Nylon 775#
Certificate	CE



No:1087002 Cordless Blower 1500mAh



Specifications:

Voltage	21V
No Load Speed	0-4000/12000/18000r/min
Battery	2PCS 1.5A
Max Air Speed	220Kmh
Max Air Volume	90CFM
Certificate	CE



No:1087003 Cordless Blower



Specifications:

Voltage	20V
No Load Speed	11000r/min
Max Air Volume	2.8m³/min
Certificate	CE



No:1095001 Cordless Reciprocating Saw



Specifications:

Voltage	18V
No Load Speed	0-2800 r/min
Stroke Length	28mm
Certificate	CE/GS/EMC



No:1095002 Cordless Reciprocating Saw



Specifications:

Voltage	12V
No Load Speed	0-2700 r/min
Stroke Length	15mm
Certificate	CE/GS



No:1092001 Cordless Circular Saw



Specifications:

Voltage	12V
No Load Speed	1450 r/min
Cutting Saw Size	∅ 85x ∅ 15x 1mm
Cutting Depth	26.5mm in 90° 17.0mm in 45°
Certificate	CE/GS



No:1092002 Cordless Circular Saw



Specifications:

Voltage	20V
No Load Speed	4500 r/min
Cutting Saw Size	∅ 165x ∅ 20x 1mm
Cutting Depth	55mm in 90° 40mm in 45°
Certificate	CE/GS



No:1095011 Cordless Jig Saw



Specifications:

Voltage	18V
No Load Speed	4000 r/min
Cutting Ability	100mm
Certificate	CE/GS/EMC
	Quick Change



No:1095012 Cordless Jig Saw



Specifications:

Voltage	12V
No Load Speed	1500-2800 r/min
Cutting Ability	50mm
Certificate	CE/GS



No:1093001 Cordless Multifunction Tool



Specifications:

Voltage	12V
No Load Speed	5000-18000 r/min
Swipping Angle	3.2°
Certificate	CE/GS



No:1094001 Cordless Polisher 2000mAh



Specifications:

Voltage	12V
Battery	2.0A
Polishing Disc Diameter	100mm
Certificate	CE/GS/EMC



No:1094002

Cordless Polisher 2000mAh



Specifications:

Voltage	12V
Battery	2.0A
Rotation Speed	2500-5000rpm
Certificate	CE
Polishing Disc Diameter	150mm



No:1089001

Cordless Caulking Gun 1500mAh



Specifications:

Voltage	12V
Press Out Speed	0-6.5mm/s
Battery	2PCS 1.5A
Max Pressure Force	3800N
Material Capacity	300/600ml
Certificate	CE



No:1089002

Cordless Caulking Gun 1500mAh



Specifications:

Voltage	16V
Press Out Speed	0-7.2mm/s
Battery	2PCS 1.5A
Max Pressure Force	5200N
Material Capacity	300/600ml
Certificate	CE



No:1089003

Cordless Caulking Gun 1500mAh



Specifications:

Voltage	21V
Press Out Speed	0-8.7mm/s
Battery	2PCS 1.5A
Max Pressure Force	6500N
Material Capacity	300/600ml
Certificate	CE



Cordless Multi-function Tools
Item No. 1099001 4000 mAh Lithium



Screwdrivers
Maximum torque: 180N.m

Car Wash
Flow: 2.4L/min
Rated pressure: 1.8/3.0Mpa

Chain Saw 4inches
Chain Speed: 7m/s

Dual Wrench
Chuck size: 1/4 (6.35mm)+1/2 (12.7mm)
Maximum torque: 200N.m

Polisher
Bottom plate size:
94x135mm

Reciprocating Saw
Cutting stroke:15mm

Impact Electric Drill
Max torque:35N.m

Jigsaw
Cutting stroke:12.7mm

Multi Tool Head
1 HCS Quick Saw blade,
1 scraper, 1 triangle grinding base,
4 pcs sandpapers (60/80/120/180)

Rotary Hammer
Shock frequency: 0-5500bpm
Impact energy: 1.7J
Chuck method: SDS

125mm angle grinder
Inner diameter of cutting blade: 22mm

Air Pump
Pressure upper limit:
0-6.9BAR (0-7kg/cm²)

Power Bank Converter
3-speed LED lighting
2-speed flash warning
USB: 1A, 2A

Brushless Machine

Blower
Air Volume:2.8m³/min

Direct Charger
Charging Time:3~4 hours

Hedge trimmer + lawnmower blade
Pruning length: 160mm

4000 mAh battery pack x2



Tool Box
Size: 365*280*305mm x2

Specifications:

Voltage	21V
Load Protection Current	35A (1.3S)
No Load Speed	13000/20000/24000 r/min
Certificate	CE/GS



No:1100003 Petrol Chain Saw 52CC/58CC



Specifications:

Displacement	52CC/58CC
Engine	1E45F/1E46F
Rated Power	2.0kw/11000rpm 2.2kw/11500rpm
Idle Speed	3000rpm
Fuel tank capacity	520ml
Oil tanks capacity	260ml
Max Cutting Diameter	20"/22"
Chain pitch-gauge	0.325"-0.058"
Certificate	CE
Gasoline/2-cycle oil mixing ratio	25:1

No:1100001 Petrol Chain Saw 45CC/52CC/58CC



Specifications:

Displacement	45CC/52CC/58CC
Engine	1E43F/1E45F/1E46F
Rated Power	1.7kw/10000rpm 2.0kw/11000rpm 2.2kw/11500rpm
Idle Speed	3000rpm
Fuel tank capacity	520ml
Oil tanks capacity	260ml
Max Cutting Diameter	18"
Chain pitch-gauge	0.325"-0.058"
Certificate	CE
Gasoline/2-cycle oil mixing ratio	25:1

No:1100002 Petrol Chain Saw 45CC/52CC/58CC



Specifications:

Displacement	45CC/52CC/58CC
Engine	1E43F/1E45F/1E46F
Rated Power	1.7kw/10000rpm 2.0kw/11000rpm 2.2kw/11500rpm
Idle Speed	3000rpm
Fuel tank capacity	520ml
Oil tanks capacity	260ml
Max Cutting Diameter	18"
Chain pitch-gauge	0.325"-0.058"
Certificate	CE
Gasoline/2-cycle oil mixing ratio	25:1

No:1100004 Petrol Chain Saw 52CC/58CC



Specifications:

Displacement	52CC/58CC
Engine	1E45F/1E46F
Rated Power	2.0kw/11000rpm 2.2kw/11500rpm
Idle Speed	3000rpm
Fuel tank capacity	520ml
Oil tanks capacity	260ml
Max Cutting Diameter	20"/22"
Chain pitch-gauge	0.325"-0.058"
Certificate	CE
Gasoline/2-cycle oil mixing ratio	25:1

No:1100005 Petrol Chain Saw 25CC



Specifications:

Displacement	25CC
Engine	1E31F
Rated Power	1.2kw/10000rpm
Idle Speed	3000rpm
Fuel tank capacity	230ml
Oil tanks capacity	220ml
Max Cutting Diameter	12"
Chain pitch-gauge	3/8"-0.050"
Certificate	CE
Gasoline/2-cycle oil mixing ratio	25:1



No:1100006 Petrol Chain Saw 25CC



Specifications:

Displacement	25CC
Engine	Air-cooled, 2-stroke, single cylinder
Rated Power	0.9kw/8000rpm
Idle Speed	3200rpm
Fuel tank capacity	230ml
Oil tanks capacity	210ml
Guide Bar Size	10"/12"
Chain pitch	3/8
Certificate	CE
Gasoline/2-cycle oil mixing ratio 40:1	

No:1100007 Petrol Chain Saw 25CC



Specifications:

Displacement	25CC
Engine	2-stroke
Rated Power	0.9kw/7000rpm
Idle Speed	3000rpm
Fuel tank capacity	230ml
Oil tanks capacity	160ml
Guide bar Size	10"/12"
Chain pitch	3/8
Certificate	CE
Gasoline/2-cycle oil mixing ratio 25:1	

No:1100008 Petrol Chain Saw 38CC



Specifications:

Displacement	38CC
Engine	Air-cooled, 2-stroke, single cylinder
Rated Power	1.25kw/8000rpm
Idle Speed	3200rpm
Fuel tank capacity	310ml
Oil tanks capacity	210ml
Guide Bar Size	14"/16"
Chain pitch	3/8 0.325"
Certificate	CE
Gasoline/2-cycle oil mixing ratio 40:1	

No:1100009 Petrol Chain Saw 38CC



Specifications:

Displacement	38CC
Engine	2-stroke
Rated Power	1.2kw/7000rpm
Idle Speed	3000rpm
Fuel tank capacity	310ml
Oil tanks capacity	210ml
Guide bar Size	14"/16"
Chain pitch	3/8
Certificate	CE
Gasoline/2-cycle oil mixing ratio 25:1	

No:1100010 Petrol Chain Saw 45CC



Specifications:

Displacement	45CC
Engine	Air-cooled, 2-stroke, single cylinder
Rated Power	1.75kw/8000rpm
Idle Speed	2800-3200rpm
Fuel tank capacity	550ml
Oil tanks capacity	260ml
Guide Bar Size	16"/18"
Chain pitch	0.325"
Certificate	CE
Gasoline/2-cycle oil mixing ratio 40:1	

No:1100011 Petrol Chain Saw 45CC



Specifications:

Displacement	45CC
Engine	Air-cooled, 2-stroke, single cylinder
Rated Power	1.75kw/8000rpm
Idle Speed	2800-3200rpm
Fuel tank capacity	550ml
Oil tanks capacity	260ml
Guide Bar Size	16"/18"
Chain pitch	0.325"
Certificate	CE
Gasoline/2-cycle oil mixing ratio 40:1	

No:1100012 Petrol Chain Saw 52CC



Specifications:

Displacement	52CC
Engine	Air-cooled, 2-stroke, single cylinder
Rated Power	1.9kw/8000rpm
Idle Speed	2800-3200rpm
Fuel tank capacity	550ml
Oil tanks capacity	260ml
Guide Bar Size	18"/20"
Chain pitch	0.325"
Certificate	CE
Gasoline/2-cycle oil mixing ratio 40:1	



No:1100013 Petrol Chain Saw 58CC



Specifications:

Displacement	58CC
Engine	Air-cooled, 2-stroke, single cylinder
Rated Power	2.2kw/8000rpm
Idle Speed	2800-3200rpm
Fuel tank capacity	550ml
Oil tanks capacity	260ml
Guide Bar Size	18"/20"
Chain pitch	0.325"
Certificate	CE
Gasoline/2-cycle oil mixing ratio 40:1	

No:1100031 Chain Saw 1200W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	1200W
Guide Bar Size	12"
Certificate	CE



No:1100015 Petrol Chain Saw 58CC



Specifications:

Displacement	58CC
Engine	Air-cooled, 2-stroke, single cylinder
Rated Power	2.2kw/8000rpm
Idle Speed	2800-3200rpm
Fuel tank capacity	550ml
Oil tanks capacity	260ml
Guide Bar Size	18"/20"
Chain pitch	0.325"
Certificate	CE
Gasoline/2-cycle oil mixing ratio 40:1	

No:1100032 Chain Saw 1600W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	1600W
Guide Bar Size	14"
Certificate	CE



No:1100017 Petrol Chain Saw 61.5CC



Specifications:

Displacement	61.5CC
Engine	2-stroke
Rated Power	2.5kw/7000rpm
Idle Speed	3200rpm
Fuel tank capacity	550ml
Oil tanks capacity	260ml
Guide bar Size	18"/20"
Chain pitch	0.325"
Certificate	CE
Gasoline/2-cycle oil mixing ratio 25:1	

No:1100033 Chain Saw 2000W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	2000W
Guide Bar Size	16"
Certificate	CE



No:1100018 Petrol Chain Saw 62CC



Specifications:

Displacement	62CC
Engine	2-stroke
Rated Power	3.2kw/7000rpm
Idle Speed	3200rpm
Fuel tank capacity	670ml
Oil tanks capacity	350ml
Guide bar Size	18"/20"
Chain pitch	0.325"
Certificate	CE
Gasoline/2-cycle oil mixing ratio 25:1	

No:1100034 Chain Saw 2400W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	2400W
Guide Bar Size	16"
Certificate	CE



No:1100019 Chainsaw & Pole Chainsaw 18V



Specifications:

DC Voltage	DC 18V
Battery	lithium 1.5/2.0Ah
Charging Time	3-5hours/1-1.5hours
Running Time	15-25mins
Speed	4.5m/s
Max Cutting Length	250mm
Telescopic Tube	Aluminium(185cm-245cm without bar)
Oil Capacity	100ml
With Rotated Head	0°, 15°, 30°
Quickly Fasten System	

No:1100020 Chain Saw 18V



Specifications:

DC Voltage	DC 18V
Battery	lithium 1.5/2.0Ah
Charging Time	3-5hours/1-1.5hours
Running Time	20-25mins
Speed	2.9m/s
Max Cutting Length	250mm
Total Length	650mm
Oil Capacity	150ml
Auto Oil Supply Quickly Fasten System	

No:1100021 Chain Saw 21V



Specifications:

DC Voltage	21V
Battery	lithium 2.0Ah
Guide Plate Size	6"(150mm)
No Load Speed	3500 r/min
Chain Type	1/4"(6.35mm)
Max Cutting Length	100mm

No:1100022 Chain Saw 21V



Specifications:

DC Voltage	21V
Battery	lithium 2.0Ah
Guide Plate Size	6"(150mm)
No Load Speed	3500 r/min
Chain Type	1/4"(6.35mm)
Max Cutting Length	100mm

No:1100102 Brush Cutter 45CC/52CC



Specifications:

Displacement	45CC/52CC
Engine	1E43F/1E45F
Rated Power	1.7kw/8000rpm 2.0kw/9000rpm
Idle Speed	3000rpm
Fuel tank capacity	1200ml
Certificate	CE
Gasoline/2-cycle oil mixing ratio	25:1

No:1100103 Brush Cutter 45CC/52CC



Specifications:

Displacement	45CC/52CC
Engine	1E43F/1E45F
Rated Power	1.7kw/8000rpm 2.0kw/9000rpm
Idle Speed	3000rpm
Fuel tank capacity	1200ml
Certificate	CE
Gasoline/2-cycle oil mixing ratio	25:1

No:1100406 4 In 1 Multi-tool 45CC/52CC



Specifications:

Displacement	45CC/52CC
Engine	1E43F/1E45F
Rated Power	1.7kw/8000rpm 2.0kw/9000rpm
Idle Speed	3000rpm
Fuel tank capacity	1200ml
Certificate	CE
Gasoline/2-cycle oil mixing ratio	25:1



No:1100104

Brush Cutter



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	1000W/1200W
No-load Speed	8000rpm
Cutting Capacity	40cm
Nylon Line	2.0mm×5m
Steel Tube Dia	25.4mm
Certificate	CE



No:1100105

Brush Cutter



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	250W
No-load Speed	11000rpm
Cutting Capacity	25cm
Spool	2x4m length, ∅1.2mm
Cable	2x0.75mmx0.35m
Certificate	CE



No:1100108

Brush Cutter



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	650W
No-load Speed	8800rpm
Cutting Capacity	32cm
Certificate	CE



No:1100109

Brush Cutter



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	350W
No-load Speed	10000rpm
Cutting Capacity	26cm
Spool	2x4m length, ∅1.4mm
Cable	2x0.75mmx0.35m
Certificate	CE



No:1100106

Brush Cutter



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	500W
No-load Speed	11000rpm
Cutting Capacity	30cm
Telescopic Tube	Aluminium 920mm-1140mm
Spool	2x4m length, ∅1.4mm
Cable	2x0.75mmx0.35m
Certificate	CE



No:1100107

Brush Cutter




Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	650W
No-load Speed	9000rpm
Cutting Capacity	33cm
Certificate	CE



No:1100110

Brush Cutter



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	300W
No-load Speed	12500rpm
Cutting Capacity	25cm
Certificate	CE



No:1100111

Brush Cutter



Specifications:

Battery	20V 2.0Ah(1.5Ah-4.0Ah)
Battery Type	Lithium-ion
Charging Time	4h(1h For Fast Charger)
No-load Speed	9000rpm
Cutting Capacity	25cm
Certificate	CE



No:1100151

Lawn Mower Induction Motor

1200W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	900W/1000W/1200W
No-load Speed	3000rpm
Cutting Capacity	320mm
Adjustable Position	25/40/55mm 3 height
Collection Bag	35L Plastic
Motor Type	Induction
Certificate	CE
Built in Plug	

No:1100154

Lawn Mower Brush Motor with Belt Drive

1200W



Specifications:

Rated Voltage	120V
Frequency	60Hz
Input Power	1000W/1200W
No-load Speed	3450rpm
Cutting Capacity	320mm
Adjustable Position	25/45/65mm 3 height
Collection Bag	25L Plastic
Motor Type	Brush motor with belt drive
Certificate	CE

No:1100152

Lawn Mower Induction Motor

1600W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	1400W/1600W
No-load Speed	3000rpm
Cutting Capacity	380mm
Adjustable Position	20-65mm 5 height
Collection Bag	50L Fabric
Motor Type	Induction
Certificate	CE
Built in Plug	

No:1100155

Lawn Mower Brush Motor

1600W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	1400W/1600W
No-load Speed	3450rpm
Cutting Capacity	380mm
Adjustable Position	20-75mm 5 height
Collection Bag	40L Plastic
Motor Type	Brush motor
Certificate	CE
Folding Handle	

No:1100153

Lawn Mower Induction Motor

1800W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	1800W
No-load Speed	3000rpm
Cutting Capacity	460mm
Adjustable Position	25-75mm 5 height
Collection Bag	55L Fabric
Motor Type	Induction
Certificate	CE
Built in Plug, Wheel Apart Packaging	

No:1100156

Lawn Mower Brush Motor

1800W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	1800W
No-load Speed	3450rpm
Cutting Capacity	420mm
Adjustable Position	25-80mm 5 height
Collection Bag	40L Plastic
Motor Type	Brush motor
Certificate	CE
Folding Handle, with mulching function	

No:1100203 Hedge Trimmer 26CC



Specifications:

Displacement	26CC
Engine	1E26F
Rated Power	0.85kw/7500rpm
Idle Speed	2800rpm
Fuel tank capacity	800ml
Certificate	CE
Gasoline/2-cycle oil mixing ratio	25:1



No:1100206 Hedge Trimmer 500W / 600W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	500W/ 600W
No-load Speed	1500/1600rpm
Length of Blade	410/460/510/560/610/630mm
Branch Cutting Diam.	16mm
Cable	2x0.75mmx0.35m
Certificate	CE



No:1100207 Hedge Trimmer 450W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	450W
No-load Speed	1700rpm
Length of Blade	410/460/510/560/610/630mm
Branch Cutting Diam.	16mm
Cable	2x0.75mmx0.35m
Certificate	CE



No:1100204 Hedge Trimmer 25.4CC



Specifications:

Displacement	25.4CC
Engine	Air-cooled, 2-stroke, single cylinder
Rated Power	0.75kw/8000rpm
Idle Speed	2800-3200rpm
Fuel tank capacity	230ml
Handle Type	Super rolling (180°)
Blade	Duble Side
Pruning Length	600mm
Certificate	CE
Gasoline/2-cycle oil mixing ratio	40:1

No:1100205 Hedge Trimmer 25.4CC



Specifications:

Displacement	25.4CC
Engine	Air-cooled, 2-stroke, single cylinder
Rated Power	0.75kw/8000rpm
Idle Speed	2800-3200rpm
Fuel tank capacity	230ml
Handle Type	Fixed
Blade	Duble Side
Pruning Length	600mm
Certificate	CE
Gasoline/2-cycle oil mixing ratio	40:1

No:1100502 Water Pump 52CC



Specifications:

Displacement	52CC
Engine	1E45F
Rated Power	1.5kw/9000rpm
Idle Speed	3000rpm
Fuel tank capacity	1200ml
Calibe	1", 1.5", 2"
Lift	10m
Suction	6m
Flow	8m³/h
Certificate	CE
Gasoline/2-cycle oil mixing ratio	25:1



No:1100601 Blower 63CC



Specifications:

Displacement	63CC
Engine	Air-cooled, 2-stroke, single cylinder
Rated Power	2.2kw/8000rpm
Idle Speed	2800-3200rpm
Air Volume	0.3 m³/s
Ignition	C.D.I
Noise	96 Db(A)
Carburetor Type	Diaphragm Type

No:1100605 Blower 63.3CC



Specifications:

Displacement	63.6CC
Engine	Air-cooled, 2-stroke, single cylinder
Rated Power	2.7kw/8000rpm
Idle Speed	2800-3200rpm
Displacement	6800
Ignition	C.D.I
Noise	96 Db(A)
Carburetor Type	Diaphragm Type
Wind Speed	90m/s
Fuel Tank Capacity	2L

No:1100602 Blower 76CC



Specifications:

Displacement	76CC
Engine	Air-cooled, 4-stroke, single cylinder
Rated Power	2.2kw/8000rpm
Idle Speed	2800-3200rpm
Air Volume	0.32 m³/s
Ignition	C.D.I
Noise	96 Db(A)
Carburetor Type	Diaphragm Type

No:1100606 Blower 63.3CC



Specifications:

Displacement	63.6CC
Engine	Air-cooled, 2-stroke, single cylinder
Rated Power	2.7kw/8000rpm
Idle Speed	2800-3200rpm
Displacement	6800
Ignition	C.D.I
Noise	96 Db(A)
Carburetor Type	Diaphragm Type
Wind Speed	90m/s
Fuel Tank Capacity	2L

No:1100603 Blower 76CC



Specifications:

Displacement	76CC
Engine	Air-cooled, 2-stroke, single cylinder
Rated Power	3.5kw/8000rpm
Idle Speed	3300rpm
Air Volume	0.35 m³/s
Ignition	C.D.I
Noise	96 Db(A)
Carburetor Type	Diaphragm Type

No:1100607 Blower 58CC



Specifications:

Displacement	58CC
Engine	Air-cooled, 2-stroke, single cylinder
Rated Power	2.2kw/8000rpm
Idle Speed	3300rpm
Air Volume	0.35 m³/s
Ignition	C.D.I
Noise	96 Db(A)
Carburetor Type	Diaphragm Type

No:1100604 Blower 75.6CC



Specifications:

Displacement	75.6CC
Engine	Air-cooled, 4-stroke, single cylinder
Rated Power	2.6kw/8000rpm
Idle Speed	2800-3200rpm
Displacement	7000
Ignition	C.D.I
Noise	96 Db(A)
Carburetor Type	Diaphragm Type
Wind Speed	86m/s
Fuel Tank Capacity	2L

No:1100608 Blower 88CC



Specifications:

Displacement	88CC
Engine	Air-cooled, 2-stroke, single cylinder
Rated Power	3.5kw/8000rpm
Idle Speed	3300rpm
Air Volume	0.7 m³/s
Ignition	C.D.I
Noise	96 Db(A)
Carburetor Type	Diaphragm Type

No:1100621

Blower 2600W-3200W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	2600W-3200W
No-load Speed	15000rpm
Air Speed	250km/h
Air Volume	10.7m³/min
Collection Bag Capacity	40L
Certificate	CE



No:1100622

Blower 2600W-3000W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	2600W-3000W
No-load Speed	15000rpm
Air Speed	250km/h
Air Volume	10.7m³/min
Collection Bag Capacity	40L
Certificate	CE



No:1100622

Blower 2000W-3500W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	2000W/2400W/2600W/2800W/3500W
No-load Speed	9000~15000rpm
Air Speed	270km/h
Air Volume	13.2m³/min
Collection Bag Capacity	6.35L
Certificate	CE
3 in 1 function, Vacuum+Blower+Mulcher	



No:1100631

Blower 20V



Specifications:

Voltage	20V
No-load Speed	16000rpm
Blowing Speed	130km/h
Air Volume	6m³/min
Working Time	30mins
Certificate	CE



No:1100623

Blower 2000W-3000W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	2000W/2400W/2600W/2800W/3000W
No-load Speed	8000~15000rpm
Air Speed	270km/h
Air Volume	13.2m³/min
Collection Bag Capacity	6.35L
Certificate	CE
3 in 1 function, Vacuum+Blower+Mulcher	



No:1100624

Blower 2000W-3500W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	2000W/2400W/2600W/2800W/3500W
No-load Speed	9000~15000rpm
Air Speed	270km/h
Air Volume	13.2m³/min
Collection Bag Capacity	6.35L
Certificate	CE
3 in 1 function, Vacuum+Blower+Mulcher	



No:1100632

Blower 20V



Specifications:

Voltage	20V
No-load Speed	18000rpm
Blowing Speed	168km/h
Air Volume	29m³/min
Working Time	30mins
Certificate	CE



No:1100633

Blower 40V



Specifications:

Voltage	40V
No-load Speed	18000rpm
Blowing Speed	180km/h
Air Volume	20m³/min
Working Time	40mins
Certificate	CE



No:1100701 Electric Sprayer 8L



Specifications:

Voltage	12V
Water Volume	8L
Compressor Pressure	6 Bar
Battery Capacity	1300/1500/2000mAh
Automatically Start/Stop	Start When P<1.8Bar, Stop When P>2.8Bar
Gross/Net Weight	3.2/3.0Kg
Accessory	Sprayer Nozzle, Car Cleaning Brush Shower Nozzle, Tire Charging Hose Battery Charger



No:1100702 Electric Sprayer 16L



Specifications:

Voltage	12V
Water Volume	16L
Compressor Pressure	6 Bar
Battery Capacity	1300/1500/2000mAh
Automatically Start/Stop	Start When P<1.8Bar, Stop When P>2.8Bar
Gross/Net Weight	3.8/3.2Kg
Accessory	Sprayer Nozzle, Car Cleaning Brush Shower Nozzle, Tire Charging Hose Battery Charger



No:1100705 Electric Spray Gun 450W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	450W
Max.Flow	650ml/min
Capacity	1000ml
Max. Viscosity	80din/sec
Plastic Nozzle	1.5/1.8/2.0mm



No:1100706 Electric Spray Gun 400W/600W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	400W/600W
Max.Flow	650ml/min
Capacity	800ml
Max. Viscosity	80din/sec
Plastic Nozzle	2.5mm



No:1100703 Electric Spray Gun 450W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	450W
Max.Flow	650ml/min
Capacity	800ml
Max. Viscosity	80din/sec
Plastic Nozzle	2.5mm



No:1100704 Electric Spray Gun 450W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	450W
Max.Flow	650ml/min
Capacity	800ml
Max. Viscosity	80din/sec
Plastic Nozzle	2.5mm



No:1100707 Electric Spray Gun 450W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	450W
Max.Flow	650ml/min
Capacity	1000ml
Max. Viscosity	80din/sec
Plastic Nozzle	1.5/1.8/2.0/2.5mm



No:1100708 Cordless Electric Spray Gun 20V



Specifications:

Voltage	20V(Li-ion) 4000mAh
Max.Flow	650ml/min
Capacity	1000ml
Max. Viscosity	80din/sec
Brass Nozzle	1.5/1.8/2.0/2.5mm



No:1100709

Cordless Electric Spray Gun 18V



Specifications:

Voltage	18V(Li-ion) 2000mAh
Max.Flow	650ml/min
Capacity	1000ml
Max. Viscosity	80din/sec
Brass Nozzle	1.5/1.8/2.0/2.5mm



No:1100710

Cordless Electric Spray Gun 20V



Specifications:

Voltage	20V(Li-ion) 2000mAh
Max.Flow	650ml/min
Capacity	1000ml
Max. Viscosity	80din/sec
Brass Nozzle	1.5/1.8/2.0/2.5mm



No:1100801

Electric Shredder 2600W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	2600W
No-load Speed	4200rpm
Max Cutting Dia	40mm
Capacity Of Collection Box	50L



No:1100802

Electric Shredder 2400W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	2400W
No-load Speed	4500rpm
Max Cutting Dia	29mm



MANUFACTURING COMPLEX



厂房
FACTORY BUILDINGS



厂房
FACTORY BUILDINGS



办公楼
OFFICE BUILDING



生产流水线
PRODUCTION LINE